

Paul

11 June 87

Fl. W. W. W. W. W.

Gene

1318

0032
05
8708
9 Jun 87
CRV
1318
1405

52
smooth
glossy

D

A2

EJ

T

E

ALC

AL5

rounded

bulge

cone shaped

long

thin

diameter

crumbling

concentric
recessed
round



metal

thin

metal

constructing

big.7


spaced

fixed




shape


hollow



Sections



Curved
tapered
cross-section



around



thin
curved
straight
extending
swinging

panel

SVI

4

S2

D

#1

F1

I

I

ML

#5

Obit →



Streamlined

Curved
Smooth
dished
tapered
projecting



shape
"kite"
rem. nose w/
of cruise
missile

Components

first
homogeneous
solid

uniform
texture

S2: S VI
B FJ T I AL ALS

blat

frag

like a
commodity

slend

equipment

complex
packed
instruments
towards
square

wires
connections

5-1/2 stores of power; equipment for metering out
electrical power. Functions by small surges &
electrical "pulsing" in rhythms thru system.

first

component


cyllindrical
blunt ends

second

component

grey
silicon
metallur
plastic

re 1/2 densely packed & take advantage of possibilities
Approved For Release 2000/08/08 : CIA-RDP96-00789R000300530002-9



SVI
6
SVI 2^d component is always busy; it "pays attention" and adjust things to remain within previously determined guidelines & parameters, automatic; But can be overridden & diverted externally to change performance.

3d

Component

(2)

SVI/2 also busy; less complex.

Controlled

SVI/2 not as much self-volition. What it does is monitored and directed by Component 2.

SVI/2 Ser. 3 is like a "big dumb guy" as opposed to Ser. 2 which is like a "short smart guy" which manipulates the big dumb guy.

Ser. 3 has only one or two major functions which are extremely important; Ser. 2 has several more "subtle" duties - difference between baseball bat and jiu-jitsu.

Ser. 1 is "along for the ride" - doesn't do anything while 2 + 3 are functioning.

projections
metal

SZ D AI FI T I AUL AS

5 1/2 projections ~~keep~~ keep it steady.. When not necessary to keep steady, they're folded. When steady is necessary, they're unfolded.

5 1/2 ~~ex~~ impression of moving along rapidly above ground.
rubbish

AI BK
Vat 130
-sense of
motion

AUL BK
like
Stingers
in a case

As L BK
Missile

7a

AOL missile
prior number?
vsus
small
long
tapered
heavy
solid
parts
fast
fuel
rock
small
hot
moves
fast
straight
up
smooth
projector
important
destructible
air
turning
following
guiding
seeking
weaving
rotating
yawing

Start

Support
metal

guide

5+1/2 people are away from it. Landscape is barren, empty,
like low chapparral. Tundra

Test

firing range

5+1/2 done calculations, blueprints, mock ups, models, static
prototypes, wind tunnel, now finally ops test to
determine if it will really do what they want and
not screw up. Targets long ways away.
can't be seen by launch crew.

5+1/2 from form bldg. to vehicle. to test run; is assembled,
attached, wired; man is cleared. It goes off at an
angle, travels rapidly for a while. Follows trajectory
contacts intended target directly. Flash; concussion
heat. Doesn't take long. Seems to be surface
target.

Object presents extremely strong impression of missile or similar vehicle. Smooth, glossy, streamlined long, thin, tapered w/ slight bulges externally; end has round, concentric ^{thin} metal constructions that are recessed. These are folding protrusions on end which extend when it is important to keep object steady. Inside are 3 major components. The first is cylindrical, uniform in texture throughout, & doesn't do much when other 2 sections are working. Sense of "along for the ride". Sec. 2 is always busy, monitors & controls functions because of Rhythmic pulsing electrical current. It's very complex & intricate, made of metal, plastic, connectors, wires; power stores, power metering devices, etc. Section 3 does only 1 or 2 things but these are important & controlled by sec. 2. Sec. 2 is like a clever little guy controlled by a big dumb guy. Idea of a "test" - culmination of development process starting from calculations & plans, through model & static testing to final live test to see if it will do what it's really supposed.

Sense that it goes from storage to vehicle to test area, is assembled, area (which is low easter vegetation like tundra) is evacuated, thing is put into operation "live" missile launch, follows a trajectory & impacts designated target which seems to be a flash & concussion; heat waves.

(1)

Q. Paul you have told me about an object that is made up of several components. ~~the~~ You have also provided some information pertaining to the function of this object. In today's session I would like you to explore the concept of the construction i.e., the shape - the various components. We will also be discussing the function but for now the details of the workings is most important.

A. Is this because the information provided thus far or only because you want more detail.

"It's because I want more detail."

Q. Paul, perhaps if you examined each component separately, beginning with the top component, it might help you understand the overall nature of the object.

A. OK - Internal or external

"Internal"

Q. That's the interior. Can you work the exterior -

A. Well the exterior is just a shell covering the interior with some folding projections -

(2)

Q. Paul, I believe you have exhausted the Stage II shapes - It would be important for us now to determine its function -

A. I'm in a real drive on a missile -

Q. Do you think it might benefit you to Stage V that concept

A. Okay, I'll try it. - - - - (Finished with Stage II) - This whole missile thing still ~~is~~ seems to feel good

Q. Okay, if you can't shake it - Let's pursue it -

A. Wait a minute some other things are coming through

Q. What is the expected outcome ^{typed for} in the event it's utilized - Describe the sequence of events - from storage to what ever it's designed to do

A. I'll do it with an 54 1/2 -